

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18598	display with (data information content item object) with (assign\$4 associat\$3 relat\$3) with (type format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:21
L2	568	temperature with (type format) with (display\$3) with (assign\$4 associat\$3 relat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:22
L3	21	temperature with (type format) with (display\$3) with (assign\$4 associat\$3 relat\$3) with (pointer bar numeric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:25
L4	4040	(receiv\$3 transmi\$5) with (data information) with (assign\$4 conver\$4) with (type format) with (display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:29
L5	1117	(receiv\$3 transmi\$5) with (data information) with (assign\$4 conver\$4 associat\$3) with ((data information) near3 (type format)) with (display\$3 near3 (type format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:30
L6	698	((process control status regulat\$3 industrial installation) near2 (data information)) and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:31

L7	659	(receiv\$3 transmi \$5) with (data information) with (assign\$4 conver \$4 associat\$3) with ((data information) near2 (type format)) with (display\$3 near2 (type format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:31
L8	38	(receiv\$3 transmi \$5) with (data information) with (assign\$4 conver \$4) with ((data information) near2 (type format)) with (display\$3 near2 (type format)) with (associat\$3 relat\$3 assign\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:32
L9	415	((process control status regulat\$3 industrial installation) near2 (data information)) and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:33
L10	24	((process control status regulat\$3 industrial installation) near2 (data information)) and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:33
L12	14	8 not 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:36
L13	205	715/809.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:39
L14	2159	715/764.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:39

L15	1311	700/90.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:39
L16	2	9 and (13 14 15)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:40
L17	8773	(assign\$4 conver \$4) with (transmi \$6 receiv\$3 sent) with (data information) with (stor\$3 sav\$3) with (type format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:42
L18	922	display\$3 with (data information) with (assign\$4 associat\$3) with ((data information) near2 (type format)) with (display\$3 near2 (type format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:43
L19	21	17 and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:43
L20	18	((process control status regulat\$3 industrial installation) near2 (data information)) and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:46
L21	18	wiedenberg-peter. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:47
L22	11784	(industrial installation process) and (type format) and data and display and box.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:48

L23	1	21 and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:48
L25	34	((industrial installation process) and (type format) and data and display and box and assign\$4 and transmi\$4). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:49
L26	486	((industrial installation process) and (type format) and data and display and box).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:49
L27	1	((industrial installation process) with (type format) with data with display with box with assign\$4 with transmi\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 08:49
S1	4	("5966532" "6112015").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 11:42
S2	173	715/809.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 11:44
S3	1	("dialog box") with (display\$3) with (info information data) with (install \$5) with (process device) with (type format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 11:47
S4	1	("dialog box") with (display\$3) with (info information data) with (install \$5) with (type format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 13:08

S5	283	("dialog box") with (display\$3) with (info information data) with (type format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 11:05
S6	10	S2 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 11:48
S7	272	(data information info) with (install \$5) with (format type) with (identifier assign \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 13:08
S8	3	S7 and ((dialog near box) with (display\$3) with (info information data) with (type format identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 13:10
S9	2	"5261043".pn. and ((chang\$3 modif \$7) with (type data number value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 13:15
S10	1	"5261043".pn. and (value "306" "308")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 13:23
S11	0	"5261043".pn. and (library database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 13:23
S12	2	"WO 9946651"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 13:25
S13	0	"WO 9946651" and (library database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 13:25

S14	0	"WO 9946651" and ("dialog box")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 16:29
S15	1	"6834388".pn. and ("dialog box")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 16:29
S16	1	assign\$4 with (dialog near box) with (library) with (computer device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 11:06
S17	15	(relat\$3 assign\$4 associat\$3) with (dialog near box) with (database library) with (computer device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 11:06
S18	45780	(display\$3 generat \$3 creat\$3) with (data information info) with (type form\$2) with (select\$3 assign \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:22
S19	47056	(display\$3 generat \$3 creat\$3) with (data information info) with (type form\$2) with (select\$3 assign\$4 choos\$3 chos\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:22
S20	21879	(display\$3 generat \$3 creat\$3) with (data information info) with (type) with (select\$3 assign\$4 choos\$3 chos\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:25
S21	4712	(display\$3 generat \$3 creat\$3) with (data information info) with (type) with (select\$3 assign\$4 choos\$3 chos\$3) with (box screen window GUI interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:26

S22	3872	display\$3 with (data information info) with (type) with (select\$3 assign\$4 choos\$3 chos\$3) with (box screen window GUI interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:26
S23	760	display\$3 with (data information info) with (type) with (select\$3 assign\$4 choos\$3 chos\$3) with (box screen window GUI interface) with (stor\$3 sav\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:29
S24	111	S23 and "715"/\$. ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:29
S25	253	display\$3 with ((data information info) near2 type) with (select\$3 assign\$4 choos\$3 chos\$3) with (box screen window GUI interface) with (stor\$3 sav\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:30
S26	417	display\$3 with ((data information info) near2 (format type)) with (select\$3 assign\$4 choos\$3 chos\$3) with (box screen window GUI interface) with (stor\$3 sav\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:35
S27	56	S26 and "715"/\$. ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:36

S28	60	display\$3 with ((data information info) near2 (format type)) with (assign\$4) with (box screen window GUI interface) with (stor\$3 sav\$3 default)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:36
S29	8	S28 and "715"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:36
S30	183	715/809.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:38
S31	1641	715/764.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:17
S32	180	715/204.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:18
S33	5951	707/102.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:18
S34	1164	700/90.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:18
S35	60	display\$3 with ((data information info) near2 (format type)) with (assign\$4) with (box screen window GUI interface) with (stor\$3 sav\$3 default)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:18



S36	2	(S31 S32 S33 S34) and (S35)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:18
S37	417	display\$3 with ((data information info) near2 (format type)) with (select\$3 assign\$4 choos\$3 chos\$3) with (box screen window GUI interface) with (stor\$3 sav\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:19
S38	16	(S31 S32 S33 S34) and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:19
S39	3075	(display\$3 generat \$3 creat\$3) with ((data information info) near3 (type format)) with (select\$3 assign\$4 choos\$3 chos\$3) with (box screen window GUI interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:19
S40	102	(S31 S32 S33 S34) and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:20
S42	13	(box and (dialog) and (data) and type and stor\$3 and assign\$4 and display\$3).clm.	US-PGPUB	OR	ON	2008/03/14 10:22
S43	2	(box and (dialog display) and (data) and type and stor \$3 and assign\$4 and installation). clm.	US-PGPUB	OR	ON	2008/03/14 10:22

S44	0	(select\$3 choos\$3 chos\$3 pick\$3) with (data information info) with (type format) with (consist\$3 compris\$3 includ \$3) with (process) with (status) with (control\$4) with (regulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:42
S45	0	(select\$3 choos\$3 chos\$3 pick\$3) with (data information info) with (type format) with (process) with (status) with (control\$4) with (regulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:43
S46	2	(data information info) with (type format) with (process) with (status) with (control\$4) with (regulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:43
S47	8	(type format) with (process) with (status) with (control\$4) with (regulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:44
S48	120078	(select\$3 choos\$3 chos\$3 pick\$3) with (data information info) with (type format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:46
S49	11107	(select\$3 choos\$3 chos\$3 pick\$3) with (data information info) with (type format) with (status control regulat\$3 process install\$5) with (compris\$3 consist\$3 includ\$3 among between)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:46

S50	8823	(select\$3 choos\$3 chos\$3 pick\$3) with (data information info) with (type format) with (status control regulat\$3) with (compris\$3 consist\$3 includ\$3 among between)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:48
S51	370	(select\$3 choos\$3 chos\$3 pick\$3) with (data information info) with (type format) with (status) with (control regulat\$3) with (compris\$3 consist\$3 includ\$3 among between)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:50
S52	444	((process industrial) with (install\$5)) and S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:54
S53	18	((process industrial) with (install\$5)) and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:56
S54	331	(select\$3 choos\$3 chos\$3 pick\$3) with (data information info) with (type) with (status) with (control regulat\$3) with (compris\$3 consist\$3 includ\$3 among between)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:59

S55	21	(select\$3 choos\$3 chos\$3 pick\$3) with (data information info) with (type) with (status) with (control regulat\$3) with (process install\$5 industrial) with (compris\$3 consist\$3 includ\$3 among between)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:00
S56	197	715/809.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:33
S57	437	715/864.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:33
S58	202	715/204.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:34
S59	1432	715/700.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:34
S60	1262	700/90.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:34
S61	7101	707/102.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:34
S62	2	(box and (dialog display) and (data) and type and stor \$3 and assign\$4 and installation). clm.	US-PGPUB	OR	ON	2008/12/31 10:34

S63	63	display\$3 with ((data information info) near2 (format type)) with (assign\$4) with (box screen window GUI interface) with (stor\$3 sav\$3 default)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:35
S64	3499	(display\$3 generat \$3 creat\$3) with ((data information info) near3 (type format)) with (select\$3 assign\$4 choos\$3 chos\$3) with (box screen window GUI interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:35
S65	108	(S56 S57 S58 S59 S60 S61) and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:36
S66	10531	(conver\$4 assign \$4) with (data information info) with (type format) with (sav\$3 stor\$3 default preset existing) with (transmit\$4 transmission load \$3 download\$3 transfer\$4 sent send\$3 upload\$3 receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:38
S67	151	(conver\$4 assign \$4) with (data information info) with (type format) with (sav\$3 stor\$3 default preset existing) with (transmit\$4 transmission load \$3 download\$3 transfer\$4 sent send\$3 upload\$3 receiv\$3) with display\$3 with	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:38

		(process install\$5)				
S68	152	(conver\$4 assign \$4) with (data information info) with (type format) with (sav\$3 stor\$3 default preset existing) with (transmit\$4 transmission load \$3 download\$3 transfer\$4 sent send\$3 upload\$3 receiv\$3) with display\$3 with (process install\$5 industrial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:38
S69	77	(conver\$4 assign \$4) with (data information info) with (type) with (sav\$3 stor\$3 default preset existing) with (transmit\$4 transmission load \$3 download\$3 transfer\$4 sent send\$3 upload\$3 receiv\$3) with display\$3 with (process install\$5 industrial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:39
S70	1	(S56 S57 S58 S59 S60 S61) and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:40
S71	18	wiedenberp-peter. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:40
S72	1	(display and data and type and box). clm. and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:41

S73	832	715/762.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:41
S74	2	(display and (industrial installation) and data and type and assign\$4 and dialog and box). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:42
S75	242	(type) with (data) with (receiv\$3 transfer\$4 transmit \$4 load\$3 upload \$3) with (convert \$3 convers\$3 label \$4 categoriz\$5 assign\$4) with (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 12:51
S76	38	S75 and (industrial installation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 12:52
S77	4	("5966532" "6112015").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 12:59
S78	408	display\$3 with (data information) with (process installation) with (industrial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:03
S79	0	display\$3 with (data information) with (process installation) with (industrial) with (type) with (label \$3 categoriz\$5 assign\$4 predefin \$3) with (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:04

S80	1	display\$3 with (data information) with (process installation) with (industrial) with (type) with (label \$3 categoriz\$5 assign\$4 predefin \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:04
S81	4183	(type) with (data) with (receiv\$3 transfer\$4 transmit \$4 load\$3 upload \$3) with (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:05
S82	1	display\$3 with (data information) with (process installation) with (industrial) with (type) with (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:05
S83	3857	data near5 type near5 status	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:06
S84	77	data near5 type near5 status near5 (label\$4 categoriz \$5 assign\$4 convert\$3 convert \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:07
S85	21045	(data) with (type kind format) with (receiv\$3 transfer \$4 transmit\$4) with (consist\$3 compris\$3 includ \$3) with (status regulat\$3 process control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:13
S86	2861	(data) near6 (type kind format) near6 (receiv\$3 transfer \$4 transmit\$4) near6 (consist\$3 compris\$3 includ \$3) near6 (status regulat\$3 process control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:15



S87	36	S86 and (industrial process) with (installation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:17
S88	1262	(data) near6 (type ) near6 (receiv\$3 transfer \$4 transmit\$4) near6 (consist\$3 compris\$3 includ \$3) near6 (status regulat\$3 control \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:25
S89	49	S88 and ("715"/\$. ccls. "700"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:26
S90	2	((process) with status with control \$4 with regulat\$3 with (data information) with type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:30
S91	0	(industrial installation) with data near5 type near5 (consist\$3 includ\$3 compris \$3) with (status regulat\$3 control \$4) with (transfer \$4 transmit\$4 receiv\$3) with (assign\$4 label\$4 categoriz\$5 convert \$3 convers\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:34
S92	3	(industrial installation) with data with type with (consist\$3 includ\$3 compris \$3) with (status regulat\$3 control \$4) with (transfer \$4 transmit\$4 receiv\$3) with (assign\$4 label\$4 categoriz\$5 convert \$3 convers\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:39

S93	40	(data information) near5 (assign\$4 giv\$3 label\$4 convert\$3 convers\$3 fit\$4 plac\$5) near5 (type categor\$3) near5 (receiv\$3 transmi\$5 sent) near5 status	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 15:28
S94	1	"6640151".pn. and (data information) with (type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 15:33
S95	875	(categor\$7 type) with (data information) with (status) with (temperature batter\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 15:35
S96	193	(categor\$7 type) with (data information) with (status) with (temperature batter\$3) with (receiv\$3 transmi\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 15:35
S97	20	(categor\$7 type) with (data information) with (status) with (temperature batter\$3) with (receiv\$3 transmi\$5) with (assign\$4 convert\$3 convers\$3 chang\$3 alter\$5 adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 15:36

6/15/09 8:49:54 AM

C:\Documents and Settings\TZhou\My Documents\EAST\Workspaces\10\10773433.wsp